AMENDMENTS TO THE CLAIMS

Please amend the claims as shown below. A complete listing of the claims, including their current status identifier, is set forth below.

 (Currently amended) A method for identifying an anti-viral agent comprising: contacting a <u>hepatitis C virus (HCV)</u> NS4B nucleotide binding motif (NBM) polypeptide with a candidate agent; and

determining an effect of said candidate agent on a GTPase activity of said polypeptide.

- 2. (Canceled)
- 3. (Previously presented) The method of claim 1, wherein said method further comprises determining an effect of said candidate agent on nucleotide binding of said polypeptide.
- 4. (Canceled)
- 5. (Currently amended) The method of claim 1, wherein said method further comprises determining an effect of **said candidate agent** on [an] RNA binding activity of said polypeptide.
- 6. (Original) The method of claim 1, wherein said candidate agent is a nucleotide analog.
- 7. (Original) The method of claim 6, wherein said nucleotide analog is a non-hydrolysable nucleotide.
- 8. (Original) The method of claim 1, further comprising determining an effect of said candidate agent on replication of HCV.

- 9. (Original) The method of <u>claim 8 claim 4</u>, wherein said HCV is a subgenomic or full length HCV replicon.
- 10. (Original) The method of <u>claim 8 elaim 1</u>, further comprising testing HCV replication in a huh7 cell.
- 11. (Withdrawn) A method for modulating NS4B protein activity, said method comprising:

contacting said NS4B protein with a modulatory agent in an amount sufficient to modulate a GTPase activity of said NS4B protein.

- 12. (Withdrawn) A method of inhibiting HCV replication in a cell, comprising: contacting a cell infected with HCV with an NS4B polypeptide inhibitor, wherein said contacting inhibits a GTPase activity of said NS4B polypeptide of said HCV and thereby inhibits HCV replication in said cell.
- 13. (Withdrawn) The method of claim 12, wherein said HCV is an HCV subgenomic replicon.
- 14. (Withdrawn) The method of claim 12, wherein said cell is a huh7 cell.
- 15. (Withdrawn) A polynucleotide encoding a HCV NS4B protein with reduced nucleotide binding activity.
- 16. (Withdrawn) The polynucleotide of claim 15, wherein said polynucleotide encodes a polypeptide comprising the sequence $X_1X_2X_3X_4X_5X_6X_7$, where X_1 is an amino acid other than Gly, X_2 is an amino acid other than Ser or Gly, \dot{X}_3 is an amino acid other than Ile or Val, X_4 is an amino acid other than Gly, X_5 is an amino acid other than Leu or Ile, X_6 is an amino acid other than Gly and X_7 is an amino acid other than Lys or Arg.

- 17. (Withdrawn) A virus particle containing the polynucleotide of claim 15.
- 18. (Withdrawn) A method of treating a subject for hepatitis C, comprising: administering to said subject an agent that inhibits a GTPase of an HCV NS4B polypeptide in an amount effective for the treatment of said subject.
- 19. (Withdrawn) The method of claim 18, wherein said subject is a human subject.
- 20. (Withdrawn) The method of claim 18, wherein said agent is administered in combination with another anti-HCV agent.
- 21. (Withdrawn) The method of claim 20, wherein said agent is ribavirin or interferon.

- 22. (New) The method of claim 8, wherein said method comprises assaying said candidate agent on HCV replication in a liver cell line or primary liver cell.
- 23. (New) The method of claim 9, wherein aid HCV is live virus or a replicon thereof.